

Withrow & Terranova

Professional Limited Liability Company

Attorneys At Law
Registered Patent Attorneys

A High Technology Patent Practice

EMAIL TRANSMITTAL SHEET

TO:	FROM:
Examiner Saket K. Daftuar	Eric P. Jensen
COMPANY:	DATE:
USPTO – Art Unit 2451	March 12, 2010
FAX NUMBER:	TOTAL NO. OF PAGES INCLUDING COVER:
571-273-8363	3
PHONE NUMBER:	SENDER'S REFERENCE NUMBER:
	1116-064
RE:	YOUR REFERENCE NUMBER:
Agenda for Interview at 11:00 AM EST on 3/16/2010	10/840,108

☐ URGENT ☒ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ ORIGINAL TO FOLLOW

NOTES/COMMENTS:

Examiner Daftuar,

Here is a proposed agenda for our telephonic interview on March 16, 2010, at 11:00 a.m. EST.

Thank you,

Eric Jensen

NOTE: The information contained in this transmission is privileged and confidential and intended ONLY for the individual or entity named above. If you should receive this transmission in error, please notify our office and return to the below address via the U.S. Postal Service.

100 REGENCY FOREST DRIVE, SUITE 160
CARY, NC 27518
PH: (919) 238-2300
FAX: (919) 238-2301

Agenda

1. Neither Johnson nor St. Pierre discloses the identification of a realm. The PTO concedes this deficiency of Johnson, but asserts that St. Pierre discloses this feature. The PTO asserts that St. Pierre's ability to discover devices constitutes a realm. However, Applicant's recited realm is in addition to the presentation of device identifiers. Thus, Applicants' claim 1 requires at least 1) the receipt and selection of a realm, 2) the entry of a password associated with the realm, and 3) after which device identifiers are identified. The PTO, in essence, uses device identifiers to meet both the limitations of the realm and the device identifiers.

Claims for discussion

11. (Previously Presented) A method of operating a first device, the method comprising:
- broadcasting a signal from the first device operative to be received by one or more second devices, the signal including a request for a location identifier identifying a realm of which the one or more second devices is a member;
 - receiving, at the first device, at least one location identifier from the one or more second devices in response to the request;
 - selecting, at the first device, at least one desired location identifier from the at least one location identifier received from the one or more second devices in response to the request;
 - transmitting from the first device a password associated with the at least one desired location identifier; and
 - in response to transmitting the password associated with the at least one desired location identifier, receiving at the first device at least one device identifier identifying a device that is a member of the realm identified by the at least one desired location identifier.